

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	128	@pd>"20050603" AND 718/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:37
L2	7	@pd>"20050603" AND 718/100.ccls. AND (job WITH manage\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:39
L3	68	@pd>"20050603" AND 718/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:39
L4	23	@pd>"20050603" AND 718/103.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:41
L5	80	@pd>"20050610" AND 715/500.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:42
L6	25	@pd>"20050610" AND 715/505.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:43
L7	252	@pd>"20050610" AND 715/513.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:44
L8	19	(L5 OR L6 OR L7) AND (job AND management)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/10/18 13:44
S1	5	((("6408323") or ("6438553") or ("20020007365") or ("20030107758") or ("20040049531")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/10/18 13:31
S2	1221	(718/100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/03 08:52

S3	1052	(718/102).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/03 08:52
S4	464	(718/103).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/03 08:53
S5	44	XML AND (user WITH (create NEAR3 (job OR task))) AND (manag\$3 WITH (job OR task))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/10 13:26
S6	112	S2 AND ((create OR define OR generate OR make OR construct) NEAR2 (job OR task))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/03 10:51
S7	25	XML AND ((create OR define OR generate OR make OR construct OR manage) NEAR2 (job)) AND wizard	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/03 11:30
S8	48	XML AND ((name OR describe OR description OR title) NEAR2 (job)) AND wizard	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/03 11:30
S9	88	template WITH (create OR edit OR make OR generate OR construct OR define) WITH job	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/10 10:12
S10	836	(715/500.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 13:16
S11	29	S10 AND job AND management	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/10 13:16
S12	221	(715/505).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 13:27

S13	2029	(715/513).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/06/10 13:27
S14	20	S12 AND job AND management	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/10 13:31
S15	109	S13 AND job AND management	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	OFF	2005/06/10 13:31
S16	48	(wizard WITH advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2005/10/18 10:28